

The background of the entire page is a photograph of a rooftop installation. In the foreground, a large, rectangular, black-framed roof light is set into a grey, textured roof surface. The light is clear, reflecting the sky. In the background, another similar roof light is visible, and beyond that, a dense line of green trees is silhouetted against a bright, hazy sky at sunset or sunrise. The sun is a bright, glowing orb partially obscured by the trees on the right side of the frame.

**infinity**<sup>®</sup>  
ROOF LIGHT solutions by TuffX

FIXED FLAT & WALK-ON  
ROOFLIGHTS

PRODUCT RANGE BROCHURE  
2025-2026

**MADE IN BRITAIN**<sup>®</sup>

INFINITY IS A TUFFX REGISTERED BRAND

0845 3400 200  
sales@txpro.co.uk  
[www.tuffxglass.co.uk](http://www.tuffxglass.co.uk)

# DISCOVER THE EXCELLENCE OF INFINITY

ROOFLIGHTS & WALK-ON GLASS FLOORS

**Engineered to transform your spaces  
with natural light, while providing  
superior thermal performance and  
aesthetics.**

Infinity Rooflights & Walk-on Glass Floors are a seamless blend of form and function, offering secure and long-lasting solutions for contemporary design needs.

Proudly made with precision, each product ensures exceptional quality, energy efficiency and ease of installation.

**infinity**®  
ROOF LIGHT solutions by Tuffix



01.  
INFINITY **FRAMED ROOFLIGHTS**

02.  
INFINITY **FRAMELESS ROOFLIGHTS**

03.  
INFINITY **ROOFLIGHTS SIZE CHART**

04.  
INFINITY **WALK-ON ROOFLIGHTS**

05.  
INFINITY **STANDARD WALK-ON GLASS**

# 01. INFINITY FRAMED ROOFLIGHTS

The INFINITY Rooflights are designed to increase the flow of natural light into indoor spaces.

These rooflights are low-maintenance with excellent thermal insulation and light transmission, making them a superior choice for energy efficiency. Our energy-efficient glass prevents heat from escaping, ensuring optimal thermal performance.

Double glazed units have a U-value of up to 1.0 W/m<sup>2</sup>K, and triple glazed units offer a U-value of up to 0.5 W/m<sup>2</sup>K. All units are Argon gas-filled with Thermal Super Spacer technology for better sound reduction and thermal efficiency. Available in clear, solar, or privacy glass.

**ALL INFINITY FRAMED ROOFLIGHTS ARE FULLY ENCAPSULATED AND WEATHER PROOF**



#### **WATER TIGHT**

Seamless design ensures exceptional water tightness. Leak-free rooflights.



#### **AIR TIGHT**

Seamless design ensures exceptional air tightness



#### **SAFETY GUARANTEED**

Robust construction guarantees maximum safety and durability.

INSTALLED IN  
15 MIN.



## 01. INFINITY FRAMED ROOFLIGHTS

## KEY FEATURES

**Thermal Toughened Safety Glass:**

Available in 6mm double glazed (U-Value up to 1.0 W/m<sup>2</sup>K) and triple glazed (U-Value up to 0.5 W/m<sup>2</sup>K) options.

**Solar Control Glass:** Blocks a significant amount of ultraviolet (UV) light, which helps protect damage caused by prolonged exposure to sunlight.

**Decorative Border:**

Comes with a black (RAL 9005) decorative border as standard, with other RAL colours available upon request.

**Low Emissivity (Low-E) Glass:**

Reduces the heat transfer through the glass and keeps indoor temperatures more consistent, leading to lower energy costs for heating and cooling.

**Aluminium Frame with Thermal Break:**

Anthracite Grey (RAL 7016) or Black (RAL 9005) aluminium frame featuring a thermal break to reduce condensation and improve energy efficiency.

**Standard and Bespoke Sizes:**

Available in both standard and custom sizes for easy and quick installation.

**Range of Glass Choices:**

Offered in clear, solar or privacy glass.



**Toughened Safety Glass:**

Ensures durability and safety.

**Enhanced Sound Reduction:**

Units are Argon gas-filled with Thermal Super Spacer technology.

## GLASS TYPES

CLEAR LOW /  
SOLAR CLEAR

SOLAR GREY



SATIN PRIVACY

02.

## INFINITY FRAMELESS ROOFLIGHTS



**Frameless flat rooflights are an alternative to traditional framed rooflights. While installation is generally more straightforward with our framed options, frameless rooflights remain a viable choice for those looking to balance aesthetics and budget.**

Frameless flat rooflights provide an affordable alternative to traditional framed rooflights while still offering a clean and modern look. Designed to maximise natural light, frameless rooflights integrate seamlessly into the architecture of any space, providing an unobstructed view without a visible frame.

Though more budget-friendly, these rooflights maintain high standards of thermal efficiency, safety, and durability. They are ideal for projects where cost-effectiveness is a priority, ensuring a bright and open environment that allows for a practical yet stylish connection to the sky above.

Double glazed units have a U-value of up to 1.0 W/m<sup>2</sup>K, and triple glazed units offer a U-value of up to 0.5 W/m<sup>2</sup>K. All units are Argon gas-filled with Thermal Super Spacer technology for better sound reduction and thermal efficiency.

Available in clear, solar or privacy glass.

## 02. INFINITY FRAMELESS ROOFLIGHTS

# KEY FEATURES

### High Class Polished Edge Finish:

Each rooflight is manufactured with a premium polished edge finish.

### Thermal Toughened Safety Glass:

Available in 6mm double glazed (U-Value up to 1.0 W/m<sup>2</sup>K) and triple glazed (U-Value up to 0.5 W/m<sup>2</sup>K) options.

**Solar Control Glass:** Blocks a significant amount of ultraviolet (UV) light, which helps protect damage caused by prolonged exposure to sunlight.

### Decorative Border:

Comes with a black (RAL 9005) decorative border as standard, with other RAL colours available upon request.

### Energy Efficient Glass:

Designed to prevent heat loss, ensuring optimal thermal performance.

### Standard and Bespoke Sizes:

Available in both standard and custom sizes for easy and quick installation.


### Range of Glass Choices:

Offered in clear, solar or privacy glass.


### Enhanced Sound Reduction:

Units are Argon gas-filled with Thermal Super Spacer technology.

# GLASS TYPES



**CLEAR LOW /  
SOLAR CLEAR**




**SOLAR GREY**




**SATIN PRIVACY**


**AIR TIGHT**  
Seamless design ensures exceptional air tightness



**WATER TIGHT**  
Seamless design ensures exceptional water tightness. Leak-free rooflights



**SAFETY GUARANTEED**  
Robust construction guarantees maximum safety and durability.






# 03.

## INFINITY ROOFLIGHTS STANDARD SIZE CHART

| FRAMED ROOFLIGHTS | FRAMELESS ROOFLIGHTS | GLAZING                              | GLASS TYPE<br>ALL ARE LOW-E                               |
|-------------------|----------------------|--------------------------------------|-----------------------------------------------------------|
| • 300 x 300 mm*   | • 300 x 300 mm*      | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 400 x 400 mm*   | • 400 x 400 mm*      | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 500 x 500 mm*   | • 500 x 500 mm*      | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 600 x 600 mm*   | • 600 x 600 mm*      | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 600 x 900 mm*   | • 600 x 900 mm*      | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 600 x 1200 mm*  | • 600 x 1200 mm*     | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 600 x 1800 mm * | • 600 x 1800 mm*     | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 1000 x 1000 mm* | • 1000 x 1000 mm*    | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 1000 x 1200 mm* | • 1000 x 1200 mm*    | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 1000 x 1500 mm* | • 1000 x 1500 mm*    | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 1000 x 2000 mm* | • 1000 x 2000 mm*    | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 1000 x 2500 mm* | • 1000 x 2500 mm*    | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |
| • 1000 x 3000 mm* | • -                  | • double glazing<br>• triple glazing | • standard solar clear<br>• solar grey<br>• satin privacy |



(\*) INTERNAL OPENING SIZE



**LOOKING FOR BESPOKE SIZES?**  
CONTACT US TO PLACE YOUR ORDER  
0845 3400 200 / SALES@TXPRO.CO.UK

## FRAME & GLASS TECHNICAL DETAILS

### Thermal Broken Aluminium Flat Rooflight Profile



## BENEFITS

- Energy Saving Glass
- U-Value as low as 0.5 W/m<sup>2</sup>K
- Screenprint Border
- Express Service
- 10 Year Warranty



04.

## INFINITY WALK-ON ROOFLIGHTS

**INFINITY Walk-on Rooflights are ideal for roof terraces and basement conversions, offering a seamless integration of style and functionality.**

Crafted to be installed both internally and externally, these rooflights allow natural light to flood into spaces while maintaining excellent thermal properties. Their robust design ensures durability and safety, making them perfect for high-traffic areas.



## 04. INFINITY WALK-ON ROOFLIGHTS

# KEY FEATURES

### Load/Weather Tested:

Complies with PAS24 – 2016 and BS6375 standards, ensuring durability and safety in various weather conditions.

### Anthracite Grey Aluminium Frame:

Glazed into a thermally broken aluminium frame (Grey RAL 7016 or Black RAL 9005) to minimise heat transfer and reduce condensation.

### Triple Heat Soak Toughened Laminated Glass:

Ensures maximum strength and safety with a 33mm thick glass featuring an Argon gas-filled cavity and thermal spacer.

### Decorative Border:

Comes standard with a black (RAL 9005) decorative border, other RAL colours available upon request.


### Glass Finishes:

Available in clear, opaque and anti-slip finishes to suit different aesthetic and functional needs.


### U-Value up to 1.0:

Provides excellent thermal insulation, enhancing energy efficiency.


# GLASS TYPES



**CLEAR LOW / SOLAR CLEAR**



**OPAQUE**



**ANTI-SLIP**

04.

## INFINITY STANDARD WALK-ON GLASS

**INFINITY Standard Walk-on Glass Floors** are an innovative solution to brighten dark spaces and create a modern, open feel. Suitable for both internal and external installations, these glass panels are perfect for enhancing the flow of natural light in any setting.

INFINITY Walk-on Glass Floors are versatile and stylish, making them a popular choice for both residential and commercial applications. Whether installed over old wells, in gardens or as a unique feature in homes, these panels allow light to penetrate into lower levels, transforming the ambiance of the entire space.



### **WATER TIGHT**

Seamless design ensures exceptional water tightness. Leak-free solution.



### **SAFETY GUARANTEED**


Robust construction guarantees maximum safety and durability.



### **AIR TIGHT**

Seamless design ensures exceptional air tightness





#### 04. INFINITY STANDARD WALK-ON GLASS

## KEY FEATURES

### **Black Marine Quality Polyester Powder Coated Aluminium Frame:**

Provides a durable and sleek finish with custom-built sizes available within three weeks.

### **Triple Heat Soak Toughened Laminated Glass:**

Ensures high durability and safety, suitable for high-traffic areas.

### **Decorative Border:**

Standard black (RAL9005) border, with other colours available upon request.

### **Glass Finishes:**

Available in clear, opaque, and anti-slip finishes, catering to various aesthetic and practical requirements.

### **Versatility:**

Suitable for both internal and external installations, including over wells, in gardens and as statement features in kitchens or living areas.

**infinity**<sup>®</sup>  
ROOF LIGHT solutions by TuffX

**PRODUCT RANGE BROCHURE**

Infinity is a brand developed  
and owned by TuffX.

All rights reserved.

**SHOWROOM**

Nexus House,  
Randles Rd,  
Knowsley Business Park,  
Prescot  
L34 9HX  
United Kingdom

**ONLINE / CONTACT**

[www.tuffxglass.co.uk](http://www.tuffxglass.co.uk)

+44 151 632 8930

+44 0845 3400 200

[sales@txpro.co.uk](mailto:sales@txpro.co.uk)

THESE ARE OUR CREDENTIALS & CERTIFICATES:



**MADE IN BRITAIN**<sup>®</sup>